

THE LUXURY YOU DESERVE



THE NEXT GENERATION OF MOTORCOACHES IS HERE

Packed with technology that's never been seen on a motorcoach before, the 2017 Entegra Coach lineup sets the new standard for all-the-time comfort and on-the-road safety.

- En-telligent™ VegaTouch command center with larger touchscreen controls and HDMI® input
- Blind spot monitoring
- En-telligent Collision Mitigation System from OnGuard™ automatically brakes in dangerous situations
- Electronic stability control automatically slows the coach on extreme grades
- Pulsing third brake light signals when the coach is slowing down
- Low-beam LED headlights

^{*}Some features not available on all models

THE CHETESTRICING BEST HANDLING COACH ON THE MARKET TODAY, PERIOD.

HERE'S WHY:

1. SPARTAN® CHASSIS

With more than 30 years' history of custom chassis manufacturing, Spartan gives us the industry's premier foundation.

2. EXCLUSIVE X-BRIDGE™ FRAME

It's what we add to the chassis that really sets us apart: Our exclusive X-Bridge frame adds even more floor strength and structural rigidity, eliminating chassis flex and twisting; with it, the suspension—not the chassis—absorbs road shock and vibration.

3. WOOD FLOOR CONSTRUCTION

Our five-inch wood floors are laid on top of our reinforced steel subframe, creating one of the industry's thickest floors—reducing energy transmission, noise and vibration.

4. TILE AROUND THE CABINETRY

We screw our cabinets directly to the wood floor and then tile around them; other manufacturers place cabinets on top of the tile, causing squeaks or cracking.

5. RESIDENTIAL-STYLE WALLS AND ROOF

Our roof combines crowned aluminum truss rafters on 16-inch centers with Flexfoil®, fiberglass insulation and 3/8-inch plywood decking. Our walls, along with our front and rear caps, feature tucked-and-glued batting insulation—the same kind of fiberglass insulation found in sound-absorbing theater rooms.





















WOOD CHOICES



STANDARD CHASSIS EQUIPMENT

Spartan® K3 raised-rail chassis

Cummins® 15-liter ISX turbocharged 600HP engine, 1,950 lb. ft. torque at 1,200 RPM

Allison® 4000 MH 6-speed transmission

Reyco® Granning® IFS independent front air suspension

Reyco Granning passive-steer tag axle

Hadley® air leveling system

20,000-pound hitch with 7/4-pin plug

Bilstein® shocks: 60mm in front and 46mm on rear tag

150-gallon fuel tank (dual fill)

STANDARD CONSTRUCTION FEATURES

X-Bridge™ frames welded on to chassis frame Enclosed, insulated and heated floor and adjustable heating in storage area

Flush-mounted, electric-powered slideout rooms with VegaTouch control

HEAT, A/C, POWER AND WATER EQUIPMENT

Aqua-Hot[®] 450 diesel hydronic water and heating system with in-floor heat

Onan® 12,500-watt diesel generator with auto-gen start on powered slideout tray

2,800-watt and 2,000-watt pure sine wave inverter

L16 AGM batteries (4), (6-volt/390 amp hours each)

Macerator holding tank dump system with electric gate valves and manual backup system

STANDARD EXTERIOR EQUIPMENT

LED high- and low-beam headlights Lighted grab handle with keypad system Keyless entry with key fob

Girard® power entrance door awning with LED lights Girard Ultra window shade awning and Ultra slideout awnings Roof-mounted Girard Vision dual-pitched patio awning with

Chrome, heated, remote-controlled, sideview mirrors with integrated cameras and blind spot indicators

Exterior 40-inch Samsung® 4K HDTV with articulating arm Full-width rear mudflap with chrome "Cornerstone" nameplate

COCKPIT AMENITIES

Air-cooled, 6-way-power, lumbar, heated, leather driver and passenger seats with integrated 3-point safety belts

VIP soft-touch, wood-grain, leather-wrapped, tilt and telescoping steering wheel with integrated controls

Single-glass paneled, dual 9-inch touchscreen, in-dash infotainment center

JBL® premium audio sound system with speakers, amplifier and subwoofer

Color, adjustable "Total Vision" backup camera and monitor system with side and rear views

Chrome, LED-lit cup holders

STANDARD INTERIOR EQUIPMENT

En-telligent VegaTouch pad system, for complete integration of coach controls

High-gloss 12-inch x 24-inch porcelain tile with granite inlay design

Bose® SoundTouch® 130 home theater system with Bluetooth® in living area

Bose Solo 15 soundbar in bedroom

LED-lit electric fireplace

In-step storage with pullout tray

STANDARD KITCHEN EQUIPMENT

Dimmable LED-lit quartz countertops with stainless steel sink Dishwasher with wood-raised panel door front

Induction cooktop

Convection microwave oven

Samsung residential 23-cubic-foot refrigerator with ice maker and water dispenser

STANDARD BEDROOM EQUIPMENT

Tempur-Pedic® Cloud® Prima king-size mattress Large cedar-lined wardrobe with automatic lights

STANDARD BATHROOM EQUIPMENT

LED-lit quartz countertops with integrated sink(s) Porcelain toilet(s) with push-button flush Frameless glass shower door

Porcelain-tiled shower walls and floor

STANDARD SAFETY EQUIPMENT

En-telligent Collision Mitigation System En-telligent blind spot monitoring system Security system with glass-shatter sensors Motion-sensor security lights (2)

Smoke alarm

Carbon monoxide alarm

Security safe

Pulsing third brake light LED marker and turn lights

OPTIONS

Canadian Standards

Solar panels (dual 100-watt) with Morningstar[®] SunSaver[™]
Duo solar panel charge controller


2.8-cubic-foot exterior freezer















WOOD CHOICES



Firestorm

Gold Ribbon





Rich Chocolate

Victory Blue

STANDARD CHASSIS EQUIPMENT

Spartan® K2 raised-rail chassis Cummins® ISL turbocharged 450 HP engine, 1,250 lb. ft. torque

at 1,400 RPM Allison® 3000 MH 6-speed transmission

Reyco® Granning® IFS independent front air suspension 15,000-pound hitch with 7/a-pin plug

Bilstein® shocks: 60mm in front and 46mm on rear tag 150-callon fuel tank (dual fill)

55-degree turning radius

STANDARD CONSTRUCTION FEATURES

X-Bridge™ frames welded into chassis frame 2-inch x 4-inch floor truss construction ³/₄-inch, 7-ply plywood main floor decking

HEAT, A/C, POWER AND WATER EQUIPMENT

Aqua-Hot[®] 450 diesel hydronic water and heating system with in-floor heat

Onan® 12,500-watt diesel generator with auto-gen start on powered slideout tray

2,800-watt and 2,000-watt pure sine wave inverter L16 AGM batteries (4), (6-volt/390 amp hours each)

Macerator holding tank dump system with manual gate valves and manual backup system

STANDARD EXTERIOR EQUIPMENT

LED high- and low-beam headlights Lighted grab handle with keypad system Keyless entry with key fob

Chrome, heated, remote-controlled, sideview mirrors with integrated cameras and blind spot indicators

Exterior 40-inch Samsung® 4K HDTV

Full-width rear mudflap with chrome "Anthem" nameplate

COCKPIT AMENITIES

Ultra-Vision® one-piece wrap-around tinted windshield VIP soft-touch, wood-grain, leather-wrapped, tilt and telescoping steering wheel with integrated controls for radio, cruise and wipers

Single-glass paneled, dual 9-inch touchscreen, in-dash infotainment center

JBL® premium audio sound system with speakers, amplifier and subwoofer

Power-adjustable foot pedals

Color, dual backup camera and monitor system with side and rear views

Chrome, LED-lit cup holders

STANDARD INTERIOR EQUIPMENT

En-telligent VegaTouch pad system, for complete integration of coach controls

High-gloss 12-inch x 24-inch porcelain tile floor Samsung 50-inch 4K UHDTV (42DEQ, 44B, 44A) Samsung 48-inch 4K UHDTV (44DLQ, 42RBQ)

Bose® SoundTouch® 130 home theater system with Bluetooth® in living area

Bose Solo 15 soundbar in bedroom In-step storage with pullout tray

STANDARD KITCHEN EQUIPMENT

Dimmable LED-lit, solid-surface countertops with stainless

Dishwasher with wood-raised panel door front Induction cooktop

Convection microwave oven

Samsung residential 23-cubic-foot refrigerator with ice maker and water dispenser

STANDARD BEDROOM EQUIPMENT

Tempur-Pedic® Cloud® Prima king-size mattress Large cedar-lined wardrobe

STANDARD BATHROOM EQUIPMENT

LED-lit, solid-surface countertop(s) with integrated sink Porcelain toilet(s) with push-button flush Porcelain-tiled shower with skylight

STANDARD SAFETY EQUIPMENT

En-telligent blind spot monitoring system Security system with glass-shatter sensors Motion-sensor security lights (2) Smoke alarm LED marker and turn lights Pulsing third brake light

OPTIONS

Canadian Standards
Solar panels (dual 100-watt) with Morningstar® SunSaver™
Duo solar panel charge controller
2.8-cubic-foot exterior freezer
Desk with Telavator® lift (44A)











WOOD CHOICES







STANDARD CHASSIS EQUIPMENT

Spartan® K2 raised-rail chassis

Cummins® ISL turbocharged 450 HP engine, 1,250 lb. ft. torque at 1,400 RPM

Allison® 3000 MH 6-speed transmission

Reyco® Granning® IFS independent front air suspension Two-stage engine brake

Bilstein® shocks

STANDARD CONSTRUCTION FEATURES

X-Bridge™ frames welded into chassis frame 2-inch x 4-inch floor truss construction ³/4-inch, 7-ply plywood main floor decking

Aluma-Tru Superstructure construction on 12-inch - 16-inch centers

2.5-inch exterior wall with welded tubular aluminum construction and high-gloss, gelcoat fiberglass Fiberglass roof with ³/s-inch plywood decking and

4-inch arched aluminum roof truss

Steel-reinforced front cap and windshield frame

HEAT, A/C, POWER AND WATER EQUIPMENT

Aqua-Hot® 400 diesel hydronic water and heating system with in-floor heat

Onan® 10,000-watt diesel generator with auto-gen start on slideout tray

2,800-watt pure sine wave inverter

L16 AGM batteries (2), (6-volt/390 amp hours each)

Macerator holding tank dump system with manual gate valves and manual backup system

STANDARD EXTERIOR EQUIPMENT

LED high-beam headlights

Lighted grab handle with keypad system

Keyless entry with key fob

Roof-mounted Girard® Vision dual-pitched patio awning with LED lights

Heated, remote-controlled, sideview mirrors with integrated cameras

Exterior 40-inch Samsung® LED HDTV with articulating arm Full-width rear mudflap with chrome "Aspire" nameplate

COCKPIT AMENITIES

Ultraleather, power-adjustable driver and passenger seats with integrated 3-point safety belts

Tilt and telescoping steering wheel with integrated controls JBL® premium audio sound system with speakers, amplifier and subwoofer

Color, dual backup camera and monitor system with side and rear views

STANDARD INTERIOR EQUIPMENT

12-inch x 24-inch porcelain tile floor Samsung soundbars (2) In-step storage with pullout tray

STANDARD KITCHEN EQUIPMENT

Dimmable LED-lit, solid-surface countertops with stainless steel sink

Induction cooktop

Residential convection microwave oven

Samsung residential 23-cubic-foot refrigerator with ice maker and water dispenser

STANDARD BEDROOM EQUIPMENT

King-size Denver Mattress® Automatic lights in wardrobe

STANDARD BATHROOM EQUIPMENT

LED-lit, solid-surface countertop(s) with integrated sink Porcelain toilet(s) with push-button flush

STANDARD SAFETY EQUIPMENT

Security system with glass-shatter sensors Motion-sensor security lights (2) Smoke alarm LED marker and turn lights Pulsing third brake light

OPTIONS

Canadian Standards LED-lit electric fireplace (N/A on 40P, 44R) Dishwasher Slideout storage tray Second Girard patio awning



















Flash Point



Mahogany Red



Solar Flare



Superior Blue

STANDARD CHASSIS EQUIPMENT

Spartan® K2 raised-rail chassis

Cummins® ISL turbocharged 450 HP engine, 1,250 lb. ft. torque at 1,400 RPM

Allison® 3000 MH 6-speed transmission

1,000-watt engine block heater

Front axle I-beam, 15,660-pound wide track

20,000-pound rear axle and 12,000-pound tag axle

15,000-pound hitch with 1/4-pin plug

Bilstein® shocks

100-gallon fuel tank (dual fill)

STANDARD CONSTRUCTION FEATURES

X-Bridge™ frames welded into chassis frame

2-inch x 4-inch floor truss construction

3/4-inch, 7-ply plywood main floor decking

Fiberglass roof with 3%-inch plywood decking and 4-inch arched aluminum roof truss

Steel-reinforced front cap and windshield frame

HEAT, A/C, POWER AND WATER EQUIPMENT

50-gallon propane tank

Aqua-Hot® 400-LP hydronic water and heating system with in-floor heat

Onan® 10,000-watt diesel generator with auto-gen start on slideout tray

3,000-watt true sine wave inverter

L16 batteries (2)

Macerator holding tank dump system with manual gate valves

STANDARD EXTERIOR EQUIPMENT

Halogen high- and low-beam headlights Lighted grab handle with keypad system

Keyless entry with key fob

Black, heated, remote-controlled, sideview mirrors with integrated cameras

Frameless, dual-pane, tinted, safety-glass windows 40-inch LED HDTV

Full-width rear mudflap

COCKPIT AMENITIES

Power-adjustable driver and passenger seats with integrated 3-point lap and shoulder safety belts

Tilt and telescoping steering wheel with integrated controls JBL® in-dash touchscreen infotainment system JBL premium audio sound system

Color side and rearview cameras

STANDARD INTERIOR EQUIPMENT

Porcelain tile floor Manual solar day and blackout night shades

Furrion 50-inch LED HDTV JBL Boost soundbar

STANDARD KITCHEN EQUIPMENT

LED-lit, solid-surface countertops with stainless steel sink Pullout cabinet extension with countertop Convection microwave oven Whirlpool® residential 20-cubic-foot refrigerator

STANDARD BEDROOM EQUIPMENT

Euro top king-size mattress

STANDARD BATHROOM EQUIPMENT

LED-lit, solid-surface countertop(s) with integrated sink Porcelain toilet(s)

STANDARD SAFETY EQUIPMENT

Security lights (3) Smoke alarm

OPTIONS

Canadian Standards LED-lit electric fireplace Front overhead TV Solar power prep Central vacuum system

CORNERSTONE

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.) (Includes water heater)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
45A, 45B, 45J, 45K, 45W	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	12' 11"	101"	84"	100	62	41

ANTHEM

1	Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.) (Includes water heater)	Capacity (gal.)	Black Waste Water Capacity (gal.)
	42DEQ, 42RBQ	49,000	64,000	17,000	20,000	12,000	296"	43' 1"	12' 9"	101"	84"	100	62	41
	44A, 44B, 44DLQ	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	12' 9"	101"	84"	100	62	41

ASPIRE

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.) (Includes water heater)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
38M, 40P	41,000	56,000	17,000	24,000	N/A	261"	40' 6"	12' 9"	101"	84"	100	62	41
42DEQ, 42RBQ	49,000	64,000	17,000	20,000	12,000	296"	43' 2"	12' 9"	101"	84"	100	62	41
44B, 44R, 44U	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	12' 9"	101"	84"	100	62	41

INSIGNIA

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.) (Includes water heater)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
44B, 44W	47,660	62,660	15,660	20,000	12,000	320"	44' 11"	12' 9"	101"	84"	100	62	41

ENTEGRA COACH, INC., P.O. BOX 460, MIDDLEBURY, IN 46540

WWW.ENTEGRACOACH.COM

See dealer for further information and pricing. All information in this brochure is the latest available at the time of publication. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purpose only. Video screens and monitors are simulated. RVs built for sale in Canada may differ to conform to Canadian Codes. ©2016 Entegra Coach, Inc. 30K Printed in U.S.A. 07/16.







Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorcoach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Axle Weight Rating (GAWR): The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motorcoach used as a tow vehicle and the attached towed vehicle.