



ENTEGR A
COACH®

THE QUIETEST-RIDING,
BEST-HANDLING MOTOR COACH.
PERIOD.




2014 ANTHEM

Without compromise.

INTERIOR COLORS

KENSINGTON PLACE



MAIN

ULTRA-LEATHER SEATING

COORDINATE

BEDSPREAD

ACCENT

CARPET

MOCHA



MAIN

ULTRA-LEATHER SEATING

COORDINATE

BEDSPREAD

ACCENT

CARPET

BOARDWALK



MAIN

ULTRA-LEATHER SEATING

COORDINATE

BEDSPREAD

ACCENT

CARPET



WINDSOR GLAZED CHERRY



TUSCAN GLAZED CHERRY

EXTERIOR COLORS



RADIANT COPPER



MIDNIGHT ILLUSION



WHITE DIAMOND PEARL



EBONY BLAZE



TUSCAN SUN

FLOORPLANS

42DEQ



42DLQ OPTIONS B, C, D



OPTION A



42RBQ OPTIONS B, C, D



OPTION B



44B



OPTION C



44DLQ OPTIONS B, C, D



OPTION D



44SL OPTIONS A, C, D



STANDARDS & OPTIONS

BATHROOM

- High gloss 12"x12" porcelain tile
- Power MaxxAir vent
- Solid surface countertop with integrated sink
- Porcelain tile shower
- Porcelain stool with push-button flush (in select models)

BEDROOM

- Samsung 32" LED HDTV
- King Select Comfort air mattress
- In-bed remote secure coach locking system

KITCHEN

- High gloss 12"x12" porcelain tile with glass inlay design
- Flush-mounted, electric 2-burner cooktop
- 1.7 cu. ft. convection microwave oven with carousel
- Dishwasher drawer
- Satin nickel high-rise single-lever faucet
- Solid surface countertops with integrated sink
- Residential refrigerator with ice maker and water dispenser
- Porcelain tile backsplash with glass design inlays
- Silverware drawer, divided for utensils
- Pullout cabinet extension with countertop
- Cutting board
- Large deep drawer with waste basket

INTERIOR

- High gloss 12"x12" porcelain tile floor
- Central vacuum system
- Electric fireplace
- Solid hardwood cabinetry
- Hardwood slide-out fascia
- Multiplex lighting
- LED recessed 12V lighting
- Power day/night roller shades throughout
- Stackable washer and dryer
- Slideouts controlled with remote
- Hidden safe

DRIVER COMPARTMENT AMENITIES

- 3-point, lap and shoulder safety belts integrated into driver and passenger seats
- High gloss 12"x12" porcelain tile with glass inlay design in steps
- Adjustable foot pedal
- Chassis battery disconnect
- Battery boost switch
- Color back-up camera and monitor

- Powered front sun visors and privacy shade
- Powered roller side sun visors and privacy shades
- Powered stepwell cover with pinch resistance technology
- Distressed Ultraleather power adjustable driver and passenger seats
- Side cameras with turn signals
- Sirius radio and tuner
- VIP SmartSteering wheel integrated controls for systems including radio controls
- VIP soft-touch, wood-grain, leather-wrapped, tilt and telescoping steering wheel
- Spartan Message Center with LCD display featuring: odometer, tachometer, instantaneous fuel economy, fuel remaining, outside air temp., coolant temp., engine oil temp. and pressure, transmission temp., turbo boost pressure, air pressure, diagnostic functions, fault codes, service reminders, percentage of engine load, trip meter, speed and voltage
- Touch-screen AM/FM/CD/DVD with Rand McNally GPS navigation, Bluetooth and (4) speakers
- Leveling jack system
- Samsung 32" LED HDTV

CHASSIS

- (2) chassis batteries
- 4.88 "Quiet-Gear" rear axle ratio
- 150-gal. fuel tank (dual fill)
- 170-amp alternator
- 15,000-lb. hitch with 7-pin plug
- Allison 3000 MH 6-speed transmission
- Cummins ISL turbocharged 450 HP engine 1,250 lb. ft. torque at 1,400 RPM
- All-wheel ABS brakes
- Side-mounted radiator
- Engine block heater
- Two-stage Jake brakes
- Polished aluminum wheels
- Raised rail chassis
- Tag axle auto weight release
- Michelin 315/80R (front) 295/80R (rear) tires
- Full air front and rear brakes
- Automatic Traction Control (ATC)
- Spartan Mountain Master tag axle chassis
- Rear axle, 20,000-lb. rated, tag axle 12,000-lb.
- Reyco/Granning front axle 17,000-lb. wide track
- Reyco/Granning IFS independent front air suspension
- Hendrickson HTB rear air suspension
- Bilstein shocks (front/rear)

CONSTRUCTION

- 3/4" (7) ply plywood main floor decking
- 2-1/2" wall with welded tubular construction
- 2" x 4" floor truss construction
- Aluma-Tru Superstructure construction on 12"-16" centers
- Enclosed, insulated and heated floor and underbelly
- Flush-mounted slideout rooms
- Fully decked roof with 3/8" plywood
- Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16), front and end caps (R-22)
- One-piece gel-coat fiberglass roof
- Sidewalls bolted to chassis frame structure
- Smooth high-gloss gel-coat fiberglass exterior walls
- Steel reinforced front cap and windshield frame
- X-Bridge frames engineered into chassis

EXTERIOR

- Aire-Secure travel locks for all passage doors
- Carefree power entrance door awning
- Carefree slideout and window awnings
- Roof-integrated 2-stage powered awning with LED lights
- CB antenna
- Chrome, heated, remote control, side-view mirrors
- Docking lights
- Frameless dual pane-tinted safety-glass windows
- Full-width rear mudflap
- Hydraulic automatic leveling jacks (dual positive)
- Keyless entry with key fob and handle
- Power bay door locks integrated with key fob and touch pad
- Slideout cargo tray
- Winegard in-motion roof-mounted satellite dome (HD-ready)
- Xenon high visibility headlights

HEAT, POWER & WATER

- Aqua-Hot 450 hydronic water and heating system with in-floor heat throughout
- (3) 15,000-BTU low profile central A/Cs with heat pump, digital thermostat and drain tubes
- 5-watt solar panel (for chassis batteries)
- 50-amp quick-connect power cord with electric reel
- 2,800-watt Pure sine wave and 2,000-watt inverter with (8) 6V glass mat batteries
- Onan 12,500-watt diesel generator on sliding tray
- Onan auto generator start system
- Power auto rewind water hose

- Total coach dual system water filter
- Sea Level tank monitoring system
- Surge protector switch
- Winterizing kit

SAFETY EQUIPMENT

- Carbon monoxide detector
- Deadbolt lock on entrance door
- Egress window
- Fire extinguisher
- Lap safety belts in living area
- Security system with glass shatter sensors
- Smoke alarm
- Third brake light

PREMIUM SOUND SYSTEM

- Outside entertainment center: 40" LED Samsung TV; Sony double DIN CD/DVD/AM/FM w/touch screen
- Bedroom Bose Solo surround system
- Living room: 40"/50" thin Samsung LED TV; Samsung Blue-ray; Bose Cinemate ISR sound bar

OPTIONS

- Exterior freezer with slideout tray
- Free-standing table with 4 chairs and sofa
- Mobile Eye
- Solar panels (dual-100 watt)
- Trav'ler satellite dish

SPECIFICATIONS

| Floor Plan | GVWR (lbs.) | GCWR (lbs.) | Front GAWR (lbs.) | Rear GAWR (lbs.) | Tag Axle GAWR (lbs.) | Wheel Base | Overall Length | Overall Height w/ Air & Satellite | Exterior Width | Interior Headroom | Fresh Water Capacity (gal.) | Grey Waste Water Capacity (gal.) | Black Waste Water Capacity (gal.) |
|------------|-------------|-------------|-------------------|------------------|----------------------|------------|----------------|-----------------------------------|----------------|-------------------|-----------------------------|----------------------------------|-----------------------------------|
| 42DEQ | 49,000 | 64,000 | 17,000 | 20,000 | 12,000 | 296" | 43' 1" | 12' 11" | 101" | 84" | 95 | 52 | 52 |
| 42DLQ | 49,000 | 64,000 | 17,000 | 20,000 | 12,000 | 296" | 43' 1" | 12' 11" | 101" | 84" | 95 | 52 | 52 |
| 42RBQ | 49,000 | 64,000 | 17,000 | 20,000 | 12,000 | 296" | 43' 1" | 12' 11" | 101" | 84" | 95 | 52 | 52 |
| 44B | 49,000 | 64,000 | 17,000 | 20,000 | 12,000 | 320" | 44' 11" | 12' 11" | 101" | 84" | 95 | 52 | 52 |
| 44DLQ | 49,000 | 64,000 | 17,000 | 20,000 | 12,000 | 320" | 44' 11" | 12' 11" | 101" | 84" | 95 | 52 | 52 |
| 44SL | 49,000 | 64,000 | 17,000 | 20,000 | 12,000 | 320" | 44' 11" | 12' 11" | 101" | 84" | 95 | 52 | 52 |



After 40 years of building Jayco, the world's largest privately-owned RV manufacturer, our family is proud to stand behind every Entegra Coach we build with the Bontrager Family Promise. It's a promise to provide unfailing customer service — before, during and after the sale. To learn more, visit us online or see your local Entegra Coach dealership.

DERALD & WILBUR BONTRAGER
FOUNDERS OF ENTEGRA COACH



A PEACE-OF-MIND PROMISE

2-YEAR WARRANTY / 5-YEAR STRUCTURAL

Our family is proud to stand behind every Entegra Coach we build. That's why we back our motor coaches with a manufacturer's limited warranty, warranted to the original purchaser for two years (five years structural) from the original date of purchase or 24,000 miles of use, whichever comes first, against defects in materials and workmanship. Our commitment is to provide you with the highest level of products and services possible. We invite you to compare us with other manufacturers — we think you will find that our passion for your satisfaction is unmatched. For a copy of the limited warranty with full terms and conditions, ask your local Entegra Coach dealer.

3-YEAR PLATINUM-LEVEL ROADSIDE ASSISTANCE

We promise peace of mind in countless ways with the Entegra Coach Customer First Roadside Assistance program, yours at no cost during your first three years of ownership. Offered through National Motor Club, the largest RV emergency road service in the country, this program gives you immediate access to dependable roadside assistance and support service with a simple phone call.

- 24/7 technical support and assistance technicians
- Service appointment assistance
- Mobile mechanic
- Emergency road towing and winching
- Delivery of emergency fluids
- Flat tire service
- Jump start/battery boost
- Lockout services
- Complete concierge service (including many types of errands and personal services)



ENTEGRA
COACH®

Without compromise.

Entegra Coach | P.O. Box 460 | Middlebury, IN 46540 www.entegracoach.com

Please Note: Information on this publication is the latest available at the time of printing. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. RVs built for sale in Canada may differ to conform to Canadian codes. ©2014 Entegra Coach

2014 Anthem.cdr JM 3-14 V.4 Printed in the U.S.A.



Gross Vehicle Weight Rating (GVWR):

The maximum permissible weight of the motor coach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity.

Gross Axle Weight Rating (GAWR):

The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself.

Gross Combined Weight Rating (GCWR):

The maximum allowable combined weight of the motor coach used as a tow vehicle and the attached towed vehicle.

It is important for your safety and enjoyment that you are aware of the weights and tow ratings of the RV you select. Consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your RV before heading out on the roadways. When you tow a vehicle with your RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Entegra Coach affixes a weight label to each RV which lists weight information for that vehicle. Refer to that label to verify the vehicle will meet your requirements. See specification chart within this publication.